




# BOARD-TO-BOARD HEADERS & RECEPTACLES



Active

PRODUCT DRAWING  
English

3D PDF

## TE CONNECTIVITY (TE) HDI PIN ASSY 3 ROW 165 POS AMP-HDI | HDI

533061-8  
TE Internal Number: 533061-8

Not EU RoHS or ELV Compliant  
Find Compliant Alternatives

Connector Style **Plug**

Centerline **2.54 mm [ .1 in ]**

Number of Positions **165**

Packaging Method **Tube**

Contact Mating Area Plating Material **Gold**

### Product Drawings

[HDI, 3 ROW, PIN ASSEMBLY, 13.54 \[.533\] LONG ACTION PINS](#)  
PDF  
English

### CAD Files

[3D PDF](#)  
PDF  
English

[Customer View Model](#)  
3D\_IGS.ZIP  
English

[Customer View Model](#)  
3D\_STP.ZIP  
English

[Customer View Model](#)  
2D\_DXF.ZIP  
English

### Product Specifications

Product Specification [Connector, Interconnect, High Density](#)  
PDF  
English

Application Specification [AMP-HDI Connectors](#)  
PDF  
English

Qualification Test Report [AMP-HDI Connectors](#)  
PDF  
Japanese

[AMP-HDI Connectors](#)  
PDF  
English

[AMP-HDI Connectors](#)  
TIF  
English

### Instruction Sheets

Instruction Sheet (U.S.) [AMP-HDI High Density Interconnection Printed Circuit \(PC\) Board Connectors](#)  
PDF  
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

---

Product Type Features	Connector Style	<b>Plug</b>
	PCB Mounting Orientation	<b>Vertical</b>
	Row-to-Row Spacing	<b>2.54 mm [ .1 in ]</b>
	Product Type	<b>Connector</b>
	Boss	<b>Without</b>
	Make First / Break Last	<b>No</b>

---

Configuration Features	Number of Positions	<b>165</b>
	Center Guide	<b>Without</b>
	Number of Rows	<b>3</b>
	Stackable	<b>No</b>

---

Contact Features	Contact Mating Area Plating Material	<b>Gold</b>
	Contact Mating Area Plating Thickness (µin)	<b>30</b>
	Contact Current Rating (A)	<b>3</b>
	Contact Type	<b>Pin</b>
	Contact Configuration	<b>Four-Beam</b>
	Solder Tail Contact Plating Material	<b>Tin</b>
	Contact Layout	<b>Matrix</b>
	Underplate Material	<b>Nickel</b>
	Contact Base Material	<b>Phosphor Bronze</b>

---

Termination Features	Termination Method to PC Board	<b>Through Hole</b>
	Termination Post Length	<b>13.54 mm [ .533 in ]</b>

---

Mechanical Attachment	Mating Alignment	<b>Without</b>
	Mating Alignment Type	<b>Keyed</b>
	PCB Mount Retention	<b>With</b>
	PCB Mount Retention Type	<b>Action/Compliant Tail</b>

---

Housing Features	Centerline	<b>2.54 mm [ .1 in ]</b>
	Housing Material	<b>Polyphenylene Sulfide (PPS)</b>

	Housing Color	<b>Brown</b>
Dimensions	Mating Post Length (in)	<b>.21</b>
	Tail Length	<b>13.54 mm [ .533 in ]</b>
	Height	<b>11.73 mm [ .46 in ]</b>
	PCB Thickness (Recommended)	<b>2.13 mm [ .084 in ]</b>
Usage Conditions	Housing Material Temperature	<b>High</b>
	Operating Temperature Range (°C)	<b>-65 – 125</b>
Operation/Application	Pick and Place Cover	<b>Without</b>
	Assembly Process Feature	<b>Board Standoff</b>
Industry Standards	UL Flammability Rating	<b>UL 94V-0</b>
Packaging Features	Packaging Method	<b>Tube</b>
	Packaging Quantity	<b>3</b>
Product Compliance	<a href="#">Statement of Compliance PDF</a> <a href="#">VIEW ALL PRODUCT COMPLIANCE</a>	

Products - 2 Results

[View All](#)

Compare 0/10 


Relation Type 

RELATIONSHIP

**Connectors**

Used to identify connector relationships to other potential product

[See All Connectors](#)



PRODUCT - CONNECTORS

Connectors - Board-to-Board Headers & Receptacles  
AMP-HDI I HDI

**HDI RECP ASSY 3 ROW  
165 POS - 532431-8**

TE INTERNAL NUMBER: 532431-8

 Active

5 of 6 EU RoHS/ELV Compliant

Connector Style **Receptacle**

Centerline **2.54 mm**

Number of Positions **165**

Packaging Method **Tube**

Contact Mating Area Plating Material **Gold**




RELATIONSHIP

## Connectors

Used to identify connector relationships to other potential product

[See All Connectors](#)

PRODUCT - CONNECTORS



Connectors - Board-to-Board Headers & Receptacles  
AMP-HDI I HDI

### HDI RECP ASSY 3 ROW 165 POS - 533268-8

TE INTERNAL NUMBER: 533268-8

✓ Active

5 of 6 EU RoHS/ELV Compliant

Connector Style **Receptacle**

Centerline **2.54 mm**

Number of Positions **165**

Packaging Method **Tube**

Contact Mating Area Plating

Material **Gold**