

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

FEB ,1995.

©

COPYRIGHT 1995

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC
JDIST
/

REVISIONS

変更

P

LTR

DESCRIPTION

DATE

DWN

APVD

C




REVISED

ECR-08-012332



15MAY08

T.T


T.F

DIRECTION OFF TOP OF REEL
→

CONNECTOR DETAIL


DETAIL F
(SCALE 4:1)

SEE DETAIL F

WEEDING THE COVER
TAPE AROUND THE
OUTER PERIPHERY
IN A TURN.

SEALANT	NOT AVAILABLE	1000	△	77.5	54.7	55	72	68.4	34.2	160	6-5353184-1
	AVAILABLE	↑	↑	77.5	48.7	49	72	68.4	34.2	140	6-↑-0
	NOT AVAILABLE			61.5	42.7	43	56	52.4	26.2	120	5-↑-9
	↑			61.5	36.7	37	56	52.4	26.2	100	5-↑-8
				61.5	33.7	34	56	52.4	26.2	90	5-↑-7
	NOT AVAILABLE			49.5	30.7	31	44	40.4	20.2	80	5-↑-6
	AVAILABLE			49.5	27.7	28	44	40.4	20.2	70	5-↑-5
	NOT AVAILABLE			49.5	24.7	25	44	40.4	20.2	60	5-↑-4
	AVAILABLE			37.5	21.7	22	32	28.4	14.2	50	5-↑-3
	NOT AVAILABLE			37.5	18.7	19	32	28.4	14.2	40	5-↑-2
	NOT AVAILABLE	1000	△	29.5	15.7	16	24	—	11.5	30	5-5353184-1
NON SEALANT	AVAILABLE	1000	△	77.5	48.7	49	72	68.4	34.2	140	4-5353184-0
	AVAILABLE	↑	△	61.5	36.7	37	56	52.4	26.2	100	3-↑-8
	NOT AVAILABLE		△	77.5	54.7	55	72	68.4	34.2	160	1-↑-1
	AVAILABLE		↑	77.5	48.7	49	72	68.4	34.2	140	1-↑-0
	NOT AVAILABLE			61.5	42.7	43	56	52.4	26.2	120	↑-9
	AVAILABLE			61.5	36.7	37	56	52.4	26.2	100	↑-8
	NOT AVAILABLE			61.5	33.7	34	56	52.4	26.2	90	↑-7
	NOT AVAILABLE			49.5	30.7	31	44	40.4	20.2	80	↑-6
	AVAILABLE			49.5	27.7	28	44	40.4	20.2	70	↑-5
	↑			49.5	24.7	25	44	40.4	20.2	60	↑-4
	AVAILABLE			37.5	21.7	22	32	28.4	14.2	50	↑-3
	NOT AVAILABLE			37.5	18.7	19	32	28.4	14.2	40	↑-2
NOT AVAILABLE	1000	△	29.5	15.7	16	24	—	11.5	30	5353184-1	
SEALANT	TOOLING STATUS	QTY.	FINISH	W	E	D	C	B	A	POS.	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mmMATERIAL
材料

1

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ± 0.3
ANGLES ± 3°FINISH
仕上

2

5

DWN HAWKING HE 08DEC04

CHK STEVEN YAO 08DEC04

APVD I.ENOMOTO 08DEC04

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING

Tyco Electronics

Tyco Electronics Corporation
Kawasaki, JapanNAME
名称EMBOSS ASSY
FH 0.6BTB CONNECTOR
PLUG 4H WITH G-PLATE

SIZE

CAGE CODE

DRAWING NO
番号

A3

00779

C-5353184

RESTRICTED TO

-

SCALE
尺度 1:1SHEET
1 OF 3REV
C


4

3

2

1

LOC	DIST	REVISIONS			
		P	LTR	DESCRIPTION	DATE
J			—	SEE SHEET 1	—



REFERENCE P.C.BOARD LAYOUT

AVAILABLE	51.8	50.6	54.7	50	47.4	160
AVAILABLE	45.8	44.6	48.7	44	41.4	140
NOT AVAILABLE	39.8	38.6	42.7	38	35.4	120
AVAILABLE	33.8	32.6	36.7	32	29.4	100
NOT AVAILABLE	30.8	29.6	33.7	29	26.4	90
NOT AVAILABLE	27.8	26.6	30.7	26	23.4	80
AVAILABLE	24.8	23.6	27.7	23	20.4	70
AVAILABLE	21.8	20.6	24.7	20	17.4	60
AVAILABLE	18.8	17.6	21.7	17	14.4	50
NOT AVAILABLE	15.8	14.6	18.7	14	11.4	40
NOT AVAILABLE	12.8	11.6	15.7	11	8.4	30
TOOLING STATUS	E	D	C	B	A	POS

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位： 耗
mm

MATERIAL
材料

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ANGLES ± 0.3
FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格

APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING

Tyco Electronics Corporation
Kawasaki, Japan

NAME
名称

EMBOSS ASSY
FH 0.6BTB CONNECTOR
PLUG 4H WITH G-PLATE

SIZE
A3

CAGE CODE
00779

DRAWING NO
番号
G-5353184

RESTRICTED TO

SCALE
尺度 4:1

SHEET
2 OF 3

REV
C

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

FEB ,1995.

© COPYRIGHT 1995 BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC
J

DIST
/

REVISIONS

変更

P

LTR

DESCRIPTION

DATE

DWN











APVD

SEE SHEET 1

—

—


—



- △ MATERIAL : HOUSING : HIGH TEMP THERMO PLASTIC, UL94V-0
CONTACT : COPPER ALLOY
- △ FINISH : UNDER PL Ni 0.0013mm MIN ALL OVER.
CONTACT AREA: 0.0002mm MIN Au PL.
SOLDERING AREA: 0.001mm MIN TIN PL.
- △ THIS POSITION IS GROUND CIRCUIT.
- △ THIS PRODUCT WAS COATED BY FLUX-PENETRATION
-INHIDITING AGENT.
- △ FINISH : UNDER PL Ni 0.0013mm MIN ALL OVER.
CONTACT AREA: 0.00076mm MIN Au PL.
SOLDERING AREA: 0.001mm MIN TIN PL.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm



MATERIAL
材料

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ± 0.3
ANGLES ± 3°

FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING



Tyco Electronics Corporation
Kawasaki, Japan

NAME
名称

EMBOSS ASSY
FH 0.6BTB CONNECTOR
PLUG 4H WITH G-PLATE

SIZE

CAGE CODE

DRAWING NO
番号

RESTRICTED TO

A300779

C-5353184

SCALE
尺度 3:1

SHEET
3 OF 3

REV
C