



BOARD-TO-BOARD HEADERS & RECEPTACLES



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

0.8FH,R05H.5,120,30/Sn,TR,SC

0.8mm FH | .8mm FH

5353999-5

TE Internal Number: 5353999-5

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Centerline **.031 mm [.8 in]**

Stack Height (mm) **5, 6, 7, 8**

Stack Height (in) **.315**

Number of Positions **120**

Packaging Method **Reel**

Product Drawings

EMBOSS ASSY FOR FH 0.8 BTB CONNECTOR REC 5H 0.5 BOSS LENGTH (0.76UM GOLD)

PDF
English

CAD Files

3D PDF

PDF
English

Customer View Model

3D_IGS.ZIP
English

Customer View Model

2D_DXF.ZIP
English

Customer View Model

3D_STP.ZIP
English

Catalog Pages/Data Sheets

Fine Pitch Stacking Connectors - 0.8mm Free Height (FH) Connectors

PDF
English

Product Specifications

Product Specification

Free Height 0.8 Mm Pitch Board-To-Board Connector (SMT)

PDF
English

Product Environmental Compliance

TE Material Declaration

MD_5353999-5_01222016851_dmtec

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Receptacle
	Board-to-Board Configuration	Mezzanine
	PCB Mounting Orientation	Vertical
	Row-to-Row Spacing	2.4 mm [.09432 in]
	Applies To	Printed Circuit Board
	Product Type	Connector
	Boss	With
Series	Free Height	
Configuration Features	Number of Positions	120
	Cover	With
	Preloaded	Yes
	Number of Rows	2
	Stackable	Yes
Electrical Characteristics	Insulation Resistance (VAC)	500
	Voltage (VAC)	100
	Dielectric Withstanding Voltage (VAC)	500
Body Features	Cover Material	Steel
	Cover Type	Vacuum Cover
	Sealant	Without
Contact Features	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness	.76 μm [29.9212 μin]
	Contact Current Rating (A)	.5
	Contact Type	Socket
	Solder Tail Contact Plating Material	Tin over Nickel
	Contact Layout	Inline
	Solder Tail Contact Plating Material Finish	Matte
	Solder Tail Contact Plating Thickness	1 μm [39.37 μin]
	Contact Base Material	Beryllium Copper
Termination Features	Termination Method to PC Board	Surface Mount
Mechanical Attachment	Mating Alignment Type	Polarized

Mechanical Attachment	Mating Alignment Type	Serialized
	PCB Mount Retention	Without
	PCB Mount Retention Type	None
	PCB Mount Alignment Type	Positioning Bosses
	Locating Post Length (mm)	.5
	Locating Post Length (in)	.0196
Housing Features	Centerline	.031 mm [.8 in]
	Housing Material	LCP (Liquid Crystal Polymer)
	Housing Color	Natural
	Housing Entry Style	Top
Dimensions	Stack Height (mm)	5, 6, 7, 8
	Stack Height (in)	.315
	Height	5 mm [.190605 in]
Usage Conditions	Operating Temperature Range	-40 – 85 °C [-40 – 185 °F]
Operation/Application	Pick and Place Cover	Without
	Assembly Process Feature	None
	For Use With	Plug
Industry Standards	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Method	Reel
	Packaging Quantity	700
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

Products - 16 Results

[View All](#)

Compare 0/10 

Relation Type 

RELATIONSHIP

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)



PRODUCT - MATING PRODUCTS

Connectors - Board-to-Board Headers & Receptacles

0.8mm FH | .8mm FH

**0.8FH, P05H.5, 120,
30/Sn, TR, SC**

- 5-5177986-5

TE INTERNAL NUMBER: 5-5177986-5

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Centerline **.031 mm**

Stack Height **5 mm, 9 mm, 13
mm, 17 mm**

Number of Positions **120**

Packaging Method **Tape & Reel**



RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)



PRODUCT - MATING PRODUCTS

Connectors - Board-to-Board Headers & Receptacles

0.8mm FH | .8mm FH

**0.8FH, P06H.5, 120,
08/Sn, TR, SC**

- 1-5177986-5

TE INTERNAL NUMBER: 1-5177986-5

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Centerline **.031 mm**

Stack Height **6 mm, 10 mm, 14
mm, 18 mm**

Number of Positions **120**

Packaging Method **Tape & Reel**



RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)



PRODUCT - MATING PRODUCTS

Connectors - Board-to-Board Headers & Receptacles

0.8mm FH | .8mm FH

**0.8FH, P06H.5, 120,
08/Sn, TU - 5179029-5**

TE INTERNAL NUMBER: 5179029-5

ALIAS ID: 1376460

✓ Active

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Centerline **.031 mm**

Stack Height **6 mm, 10 mm, 14
mm, 18 mm**

Number of Positions **120**

Packaging Method **Tube,
Tube/Box**

