



BNC CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

JACK,PCB,VERT,COMMERCIAL BNC

PCF , PCH

5413969-2

TE Internal Number: 5413969-2

Always EU RoHS/ELV Compliant

Applies To **Printed Circuit Board**

Panel Mount Retention **Without**

PCB Mount Retention **Without**

PCB Termination Method **Through Hole**

Body Material **Zinc**

Product Drawings

[JACK, VERTICAL, PCB, 50 OHM, COMMERCIAL BNC](#)

PDF (TIFF AVAILABLE)
English

[JACK, VERTICAL, PCB, 50 OHM, COMMERCIAL BNC](#)

PDF (TIFF AVAILABLE)
English

CAD Files

[3D PDF](#)

PDF
3D

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[BNC Connectors](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_5413969-2_04222014154_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

	Sealed	No
	RF Connector Type	BNC
	Connector Style	Jack
	PCB Mounting Orientation	Vertical
	Dielectric Material	PTFE
	ESD Protection	Without
	Isolated Ground	No
	Grade	Commercial
	Product Type	Connector - RF
<hr/>		
Configuration Features	Solder Terminal	Without
	Number of Ports	1
<hr/>		
Electrical Characteristics	50 Ohm	Yes
	75 Ohm	No
	Impedance (Ω)	50
<hr/>		
Body Features	Body Material	Zinc
	Body Plating Material	Tin
	Body Style	Straight
	Body Insulation	Without
	Body Shape	Vertical-Unflanged Base
<hr/>		
Contact Features	Center Contact Material	Beryllium Copper
	Center Contact Plating Material	Gold
	Center Contact Plating Thickness (μin)	1080
<hr/>		
Termination Features	PCB Termination Method	Through Hole
<hr/>		
Mechanical Attachment	Panel Mount Retention	Without
	PCB Mount Retention	Without
	Panel Mount	Without
	Polarized	No
	Hardware Included	No
<hr/>		
Dimensions	Height above PCB	20.57 mm [.81 in]

Packaging Features

Packaging Method













Carton

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

SURFACE MOUNT RESISTORS	PCB D-SUB CONNECTORS	PCB D-SUB CONNECTORS	PCB D-SUB CONNECTORS
			
<p>RP 2B 475K 0.1% 15PPM CUT LENGTH RP73D2B475KBTG</p>	<p>25 MSFL RCPT RA 318 (IN, FM) 745783-4</p>	<p>09 RCPT SP/AP STD 207826-3</p>	<p>25 RCPT SP/FMS STD 5745967-2</p>
<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>