





- 1 HOUSING MATERIAL: GLASS-FILLED POLYMER. COLOR: GRAY.
- 2 CONTACT MATERIAL: COPPER ALLOY.
- 3 CONTACT FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN ON POSTS.
- 4 PART NUMBER, DATE CODE IDENTIFICATION, CSA LOGO IN THIS APPROXIMATE AREA.
- 5 POINT OF MEASUREMENT FOR DIN 41612 CLASS 2 FINISH.
- 6 ACTION PIN POSTS REQUIRE 1.57 [.062] MIN THICK PC BOARD. RECOMMENDED PC BOARD HOLES ARE Ø.151±0.02 [.0453±.001] DRILLED HOLE WITH 0.02-0.07 [.001-.003] COPPER AND 0.008 [.0003] MIN TIN-LEAD PLATING. FINISHED HOLE AFTER PLATING, Ø.094-1.09 [.037-.043].



1 THRU 16	X	X	X	48	5535034-5
1 THRU 16	X	X	X	48	5535034-4
NOTES	POSITIONS LOADED			NO. OF LOADED POSITIONS	ASSY PART NUMBER
	C	B	A		

THIS DRAWING IS A CONTROLLED DOCUMENT. DIM: J. POLIGNONE 18APR05. GJK: A. SHARPE 18APR05. NAME: A. SHARPE 18APR05. Tyco Electronics Corporation, Harrisburg, Pa 17105-3608.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	0 PLC ± -	1 PLC ± -	2 PLC ± -	3 PLC ± 0.13 [.005]	4 PLC ± -	ANGLES ± -	FINISH ± -
MATERIAL	WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO			
		A1	00779	5535034				

CUSTOMER DRAWING SCALE 4:1 SHEET 1 OF 1 REV 0