

# BOARD-TO-BOARD HEADERS & RECEPTACLES



✓ Active



# TE CONNECTIVITY (TE) 2MM FB,ASY,048,SIG,REC,SL,2.73 Z-PACK | Future Bus+

5536507-2 TE Internal Number: 5536507-2

# Always EU RoHS/ELV Compliant

Connector Style **Receptacle** Centerline **2 mm [.079 in ]** Number of Positions **48** Packaging Method **Tube** 

Contact Mating Area Plating Material **Gold** 

Product Drawings	RECEPTACLE ASSEMBLY, SIGNAL MODULE, Z-PACK, 2mm FB, 4 ROW, 2.73mm LEAD LENGTH PDF English
CAD Files	Customer View Model 2D_DXF.ZIP English
	3D PDF
	PDF 3D
	Customer View Model
	3D_IGS.ZIP English
	Customer View Model
	3D_STP.ZIP English
Product Specifications	
Product Specification	Connector, Z-PACK*, 2 Mm FB, Signal And Power
Application Specification	English Z-PACK 2 Mm FB (Futurebus+) Receptacle And Pin Header Connectors PDF
Qualification Test Report	English Connector, Z-PACK, 2mm FB, Signal & Power
	TIF English
	Connector, Z-PACK, 2mm FB, Signal & Power PDF English
	Connector, Z-PACK, 2mm FB, Signal & Power PDF Japanese

# Product Environmental Compliance

TE Material Declaration

MD\_5536507-2\_120320122148

У 🖬 f 🔻

רטר English

Please review product documents or **contact us** for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Receptacle
	PCB Mounting Orientation	Right Angle
	Row-to-Row Spacing	2 mm [ .079 in ]
	Applies To	Printed Circuit Board
	Product Type	Connector
	Boss	With
	Post Type	Solder Post
	Module Type	Signal
	Connector Type	Connector Assembly
Configuration Features	Number of Positions	48
	Sequencing	No
	Number of Signal Positions	48
	Number of Rows	4
	Stackable	No
Body Features	Post Plating Material	Tin
Contact Features	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness (µin)	30
	Contact Current Rating (A)	3
	Contact Type	Socket
	Solder Tail Contact Plating Material	Tin
	Contact Layout	Matrix
	Solder Tail Contact Plating Thickness	3.81 μm [ 149.9997 μin ]
	Contact Base Material	Phosphor Bronze
Termination Features	Interface Type	Futurebus+
	Termination Method to PC Board	Through Hole - Solder
	Termination Post Length	2.73 mm [ .107 in ]

Mechanical Attachment


Mating Alignment Type

**Polarizing Rib** 

	PCB Mount Retention	With
	PCB Mount Retention Type	Solder Tail (Pin)
	PCB Mount Alignment Type	Boss
Housing Features	Centerline	2 mm [ .079 in ]
	Housing Material	LCP (Liquid Crystal Polymer)
	Housing Color	Natural
Dimensions	Tail Length Height	2.73 mm [ .107289 in ] 9.07 mm [ .357 in ]
Usage Conditions	Operating Temperature Range	-55 – 125 °C [ -67 – 257 °F ]
Operation/Application	Pick and Place Cover	Without
	For Use With	Plug
Packaging Features	Packaging Method	Tube
	Packaging Quantity	24
Product Compliance	Statement of Compliance PDF	

VIEW ALL PRODUCT COMPLIANCE

# CUSTOMERS ALSO BOUGHT



## RELATIONSHIP **Mating Products** Used to identify Mating Parts

#### See All Mating Products

See All Mating Products

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - Board-to-Board Headers & Receptacles Z-PACK | Future Bus+ 2MM FB, ASY, 48, SIG, HDR, SL, 4.25 - 5536501-2 TE INTERNAL NUMBER: 5536501-2

✓ Active

V

# Always EU RoHS/ELV Compliant

Connector Style Plug Centerline 2 mm Number of Positions 48 Packaging Method Tube Contact Mating Area Plating Material Gold

### RELATIONSHIP **Mating Products** Used to identify Mating Parts

PRODUCT - MATING PRODUCTS Always EU RoHS/ELV Compliant Connectors - Board-to-Board Headers & Receptacles Z-PACK | Future Bus+ Connector Style Plug 2MMFB, ASY, 048, SIG, Centerline 2 mm HDR, EN, 4.25 Number of Positions 48 5536514-2

TE INTERNAL NUMBER: 5536514-2

✓ Active

Packaging Method Tube

Contact Mating Area Plating Material Gold

# RELATIONSHIP **Mating Products** Used to identify Mating Parts



PRODUCT - MATING PRODUCTS

Connectors - Board-to-Board Headers & Receptacles Z-PACK | Future Bus+ 2MM FB, ASY, 48, SIG, HDR, SL, 4.25 - 536501-2 TE INTERNAL NUMBER: 536501-2

✓ Active

#### 5 of 6 EU RoHS/ELV Compliant

Connector Style Plug

Centerline 2 mm

Number of Positions 48

Packaging Method **Tube** 

Contact Mating Area Plating

Material Gold