TE Connectivity: Every Connection Counts
© 2015 TE Connectivity Ltd. family of companies. All Rights Reserved

CONNECTORS

HEADERS & RECEPTACLES

✔ Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

15 MTE HDR SRRA LTCH.100CL LF

AMPMODU | AMPMODU MTE

6-103635-4
TE Internal Number: 6-103635-4

Always EU RoHS/ELV Compliant

Centerline **2.54 mm [.1 in]**

Number of Positions **15**

PCB Mounting Orientation **Right Angle**

PCB Mounting Style **Through Hole**

Number of Rows **1**

Product Drawings

HDR ASSY, RTANG, SINGLE ROW 2.54[.100] C/L , 0.64[.025] SQ POST, WITH PLZN & LATCHING, AMPMODU MTE
PDF
English

CAD Files

Customer View Model
2D_DXF.ZIP
English

3D PDF
PDF
3D

Customer View Model
3D_IGS.ZIP
English

Customer View Model
3D_STP.ZIP
English

Catalog Pages/Data Sheets

AMPMODU_INTERCONNECTION_SYSTEM_SECTION5_CONT
PDF
English

AMPMODU MTE INTERCONNECT SYSTEM
PDF
English

Product Specifications

Application Specification

AMPMODU MTE Interconnection System
PDF
English

Product Environmental Compliance

TE Material Declaration

MD_6-103635-4_040220152250_dmtec
PDF
English

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	PCB Mounting Orientation	**Right Angle**
	Product Type	**Connector**
	Connector Type	**Header**
	Strain Relief	**Without**
	Row-to-Row Spacing	**2.54 mm [.1 in]**
	Connector Style	**Plug**
	PCB Orientation Feature	**No**
	Applies To	**Printed Circuit Board**
Configuration Features	Number of Positions	**15**
	Number of Rows	**1**
	Backwall/Post Interruptions	**Without**
Electrical Characteristics	Dielectric Withstanding Voltage	**600 V**
	Insulation Resistance	**5000 MΩ**
	Termination Resistance	**15 MΩ**
Body Features	Header Type	**Shrouded**
Contact Features	Contact Mating Area Plating Material	**Gold**
	Contact Mating Area Plating Thickness (µin)	**15**
	Contact Termination Area Plating Thickness	**2.54 µm [100 µin]**
	Contact Shape	**Square**
	Contact Termination Area Plating Material	**Tin**
	Tail Plating Material	**Tin**
	Tail Plating Thickness	**2.54 µm [100 µin]**
	Contact Type	**Pin**
	Solder Tail Contact Plating Material	**Tin**
	Contact Current Rating (A)	**3**
	Contact Termination Area Plating Material Finish	**Matte**
	Contact Base Material	**Brass**
Termination Features	Termination Method to Wire/Cable	**Crimp, Insulation Displacement Crimp (IDC)**

Mechanical Attachment	PCB Mounting Style	**Through Hole**
	PCB Mount Alignment	**Without**
	Mating Retention	**With**
	PCB Mount Retention	**Without**
	Contact Retention	**With**
	Mating Alignment Type	**Latched**
	Contact Retention Type	**Locking Lance**
	Mating Retention Type	**Polarized Lock**
	Panel Mount Retention	**Without**
	Mating Alignment	**With**
Housing Features	Centerline	**2.54 mm [.1 in]**
	Housing Color	**Black**
	Housing Material	**Thermoplastic**
Dimensions	Tail Length	**3.3 mm [.13 in]**
	Mating Post Length	**5.84 mm [.23 in]**
	Height	**13.59 mm [.535 in]**
	Length	**40.64 mm [1.6 in]**
Usage Conditions	Operating Temperature Range (°C)	**-65 – 105**
Operation/Application	For Use With	**Receptacle Housing Assembly**
	Pick and Place Cover	**Without**
Industry Standards	UL Flammability Rating	**UL 94V-0**
	Approved Standards	**CSA LR7189, UL E28476**
Packaging Features	Packaging Method	**Tube, Tube/Box**
	Packaging Quantity	**13**
Other	Comment	**Use Keying Tool No. 91417-1 to remove post for keying.**
Product Compliance	Statement of Compliance PDF	
	VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

MINI PCI EXPRESS & MSATA

MINI PCI EXPRESS SEMI HARD TRAY CONN

1717831-1

Save to List

Find Similar Products

SIGNAL RELAYS

D3063=FP RELAY 200 MW 5 V BIS

D3063

Save to List

Find Similar Products

WIRE-TO-BOARD HEADERS & RECEPTACLES

12 MTE HDR SRRA LTCH.100CL LF

6-103635-1

Save to List

Find Similar Products

MULTIPLE CONFIGURATION PCB HEADERS & RECEPTACLES

40 MODII HDR SRST B/A .100CL

9-146281-0

Save to List

Find Similar Products

Products - 1 Results

View All

Compare 0/10

Relation Type

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - FFC Connectors

FFC | FFC

015 HOUSING FFC RCPT 100CL SR - 1-487526-4

TE INTERNAL NUMBER: 1-487526-4

Active

Always EU RoHS/ELV Compliant

Connector Type **Housing**

Connector Style **Receptacle**

Centerline **2.54 mm**

Number of Positions **15**

Number of Rows **1**