



TE CONNECTIVITY (TE)

.058 PIN REC 24-20 010GPBECU

AMP-IN | AMP-IN and PC Board Disconnects

60598-9

TE Internal Number: 60598-9
Alias ID: 405641986

Always EU RoHS/ELV Compliant

Terminal Style **Receptacle**

Mating Pin Diameter **1.47 mm [.058 in]**

Wire Insulation Diameter **1.14 – 1.78 mm [.045 – .07 in]**

Wire Size (AWG) **24 – 20**

Wire Size (mm²) **.2 – .6**

Active

PRODUCT DRAWING
English

3D PDF

Product Drawings

RECEPTACLE, .058 DIAMETER, 24-20 AWG, .045-.070 INSULATION, P.C. CONTACT

PDF
English

CAD Files

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Customer View Model

2D_DXF.ZIP
English

3D PDF

PDF
English

Catalog Pages/Data Sheets

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

PDF
English

Product Specifications

Product Specification

.058 Diameter Printed Circuit Board Disconnect System

PDF
English

Application Specification

.093 Diameter Printed Circuit Board Disconnect System

PDF
English

.058 And .093 Diameter Printed Circuit (PC) Board Pins And Disconnect Receptacle Contacts

PDF
English

Product Type Features	Wire Cutoff	No
	Applies To	Wire/Cable
	Insulated Wire Support	Yes
Configuration Features	Stud Hole	No
	Terminal Angle	Straight
Body Features	Plating Material	Gold
	Plating Thickness (µm)	38
Contact Features	Terminal Style	Receptacle
	Mating Pin Diameter	1.47 mm [.058 in]
	Underplating Material	Nickel
	Terminal Orientation	Straight
	Contact Plating Material	Tin
Termination Features	Termination Method	Crimp
Dimensions	Wire Insulation Diameter	1.14 – 1.78 mm [.045 – .07 in]
	Wire Size (AWG)	24 – 20
	Wire Size (mm ²)	.2 – .6
	Material Thickness	.25 mm [.01 in]
Packaging Features	Packaging Method	Reel
	Packaging Quantity	15000
Other	Comment	Machine applied applicator required.
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	




Relation Type ▼

RELATIONSHIP

Toolings

Tooling

[See All Toolings](#)



PRODUCT - TOOLINGS

Application Tooling - OCEAN Applicators
AMP

**OC-AT-S-FM-055F0800-
001-0017 - 2151427-1**

TE INTERNAL NUMBER: 2151427-1

✓ Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN -
Atlantic**

Applicator Feed Style **Side Feed**



RELATIONSHIP

Toolings

Tooling

[See All Toolings](#)



PRODUCT - TOOLINGS

Application Tooling - OCEAN Applicators
AMP

**OC-AT-S-FA-055F0800-
001-0017 - 2151427-2**

TE INTERNAL NUMBER: 2151427-2

✓ Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN -
Atlantic**

Applicator Feed Style **Side Feed**



RELATIONSHIP

Toolings

Tooling

[See All Toolings](#)



PRODUCT - TOOLINGS

Application Tooling - OCEAN Applicators
AMP

**OC-055F0800-
CRIMPTOOLINGKIT
- 7-2151427-7**

TE INTERNAL NUMBER: 7-2151427-7

✓ Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **Yes**

Spare Parts Tool Type **Spare
Parts Kit**

