



TERMINALS & SPLICES

QUICK DISCONNECTS



TE CONNECTIVITY (TE)

250 FAST TAB STUD 032TPBR

FASTON | 250

61365-1

TE Internal Number: 61365-1

Always EU RoHS/ELV Compliant

Terminal Style **Tab**

Mating Tab Width **6.35 mm [.25 in]**

Mating Tab Thickness **.81 mm [.032 in]**

Plating Material **Brass, Tin**

Paired **No**

✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

Product Drawings

[TAB, FASTON, 6.35 \[.250\] SERIES](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[FASTON Tabs](#)

PDF
English

Product Specifications

Application Specification

[FASTON Series 187, 205, And 250 Stud Mount Tab Terminals](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_61365-1_0427201591_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	FASTON	Yes
	Insulated Wire Support	No
	Applies To	Stud
Configuration Features	Paired	No
	Stud Hole	Yes
	Terminal Angle	45°
	Connection Capacity	Single
Body Features	Plating Material	Brass, Tin
	Plating Thickness (µin)	40
Contact Features	Terminal Style	Tab
	Terminal Orientation	Straight
	Contact Plating Material	Tin
Dimensions	Mating Tab Width	6.35 mm [.25 in]
	Mating Tab Thickness	.81 mm [.032 in]
	Stud Diameter	5.16 mm [.203 in]
	Overall Length	9.53 mm [.375 in]
Industry Standards	UL Rating	Recognized
	CSA Certified	Yes
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	1000
Other	Comment	Dimple (both sides).
Product Compliance	<p>Statement of Compliance PDF</p> <p>VIEW ALL PRODUCT COMPLIANCE</p>	

