

PCB TERMINALS

















TE Internal Number: 61968-1

Terminal Style Tab

TE CONNECTIVITY (TE)

FASTON | 110

61968-1

PCB Thickness (Recommended) .81 - 2.36 mm [.032 - .093 in]

110 FAST PCB TAB 020TPCUBR

Mating Tab Width 2.79 mm [.11 in]

Mating Tab Thickness .51 mm [.02 in]

PCB Hole Diameter 1.65 mm [.064 in]



PRODUCT DRAWING



3D PDF

Product Drawings

TAB, FASTON, PC BOARD 2.79 [.110] SERIES

PDF **English**

CAD Files

3D PDF

PDF

Customer View Model

2D_DXF.ZIP English

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D STP.ZIP English

Catalog Pages/Data Sheets

FASTON PCB Tabs And Receptacles

PDF **English**

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

PDF **English**

Product Specifications

Application Specification FASTON 110, 187, 205, 250, And 312 Series Tab Contacts For Printed Circuit (PC)

Board Applications

English

Product Environmental Compliance

TE Material Declaration

MD_61968-1_03252011836

PDF English

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Applies To Insulated Wire Support FASTON	Printed Circuit Board Yes Yes
Configuration Features	Stud Hole Terminal Angle	No Straight
Body Features	Plating Material	Tin
Contact Features	Terminal Style Contact Plating Material	Tab Tin
Dimensions	PCB Thickness (Recommended) Mating Tab Width Mating Tab Thickness PCB Hole Diameter	.81 – 2.36 mm [.032 – .093 in] 2.79 mm [.11 in] .51 mm [.02 in] 1.65 mm [.064 in]
Industry Standards	UL Rating CSA Certified	Recognized Yes
Packaging Features	Packaging Method Packaging Quantity	Reel 4000
Other	Comment	Insertion machine available.
Product Compliance	Statement of Compliance	

CUSTOMERS ALSO BOUGHT



VIEW ALL PRODUCT COMPLIANCE

