



MOTOR TERMINALS



TE CONNECTIVITY (TE)

MAG-MATE POKE-IN TAB 020 PTPBR

[Magnet Wire Terminals & Splices](#) | [MAG-MATE](#)

63458-1

TE Internal Number: 63458-1

[Always EU RoHS/ELV Compliant](#)

Terminal Style **Poke-In**

Wire Insulation Diameter **2.29 – 3.56 mm [.09 – .14 in]**

Lead Wire Size (AWG) **18 – 14**

Crimp Area Length **3.05 mm [.12 in]**

Material Thickness (in) **.02**

✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

Product Drawings

[TAB, POKE-IN, MAG-MATE](#)

PDF
English

CAD Files

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
English

Catalog Pages/Data Sheets

[1654742_HOUSEHOLD_APPLIANCES_RAST5](#)

PDF
English

[Magnet Wire Terminals & Splices](#)

PDF
English

Product Specifications

Application Specification

[MAG-MATE Poke-In Tab Terminals](#)

PDF
English

Product Environmental Compliance

TE Material Declaration










[MD_63458-1_11192014948_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Body Features	Lead Wire Size (AWG)	18 – 14
Contact Features	Terminal Style	Poke-In
Termination Features	Crimp Area Length	3.05 mm [.12 in]
Dimensions	Wire Insulation Diameter	2.29 – 3.56 mm [.09 – .14 in]
	Material Thickness (in)	.02
	Stock Thickness (Magnet Wire Side) (mm)	.508
Packaging Features	Packaging Method	Reel, Reel/Carton
Product Compliance	Statement of Compliance <small>PDF</small> VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

RECTANGULAR POWER CONNECTORS	WIRE-TO-BOARD CONNECTOR CONTACTS	RECTANGULAR CONNECTOR HOUSINGS	INSULATION BOOTS & SLEEVES
<p>02P .093 COMM P&S RECPT .248CL 770266-1</p> <p> Save to List</p> <p> Find Similar Products</p>	<p>PL 250 REC TERMINAL 20-17 AWG BR 927852-1</p> <p> Save to List</p> <p> Find Similar Products</p>	<p></p> <p>DYNAMIC D-3500 WTW TAB HSG 20P 917242-8</p> <p> Save to List</p> <p> Find Similar Products</p>	<p>IS 110 INSUL SLEEVE NAT 170823-1</p> <p> Save to List</p> <p> Find Similar Products</p>