



QUICK DISCONNECTS



TE CONNECTIVITY (TE) FASTON 250 PCB TAB BR FASTON | 250

63950-1
TE Internal Number: 63950-1

Always EU RoHS/ELV Compliant

Terminal Style **Tab**

Mating Tab Width **6.35 mm [.25 in]**

Mating Tab Thickness **.81 mm [.032 in]**

Plating Material **Brass, Tin**

Wire Stop **No**

Active

PRODUCT DRAWING
English

3D PDF

Product Drawings

[TAB, FASTON, P.C. BOARD, 6.35 \[.250\] SERIES](#)

PDF
English

CAD Files

[3D PDF](#)

PDF
3D

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS](#)

PDF
English

[FASTON PCB Tabs And Receptacles](#)

PDF
English

Product Specifications

Application Specification

[FASTON 110, 187, 205, 250, And 312 Series Tab Contacts For Printed Circuit \(PC\) Board Applications](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_63950-1_05122014747_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Wire Stop	No
	Disconnect Type	Quick Disconnect
	FASTON	Yes
	Insulated Wire Support	No
	Applies To	Printed Circuit Board

Configuration Features	Stud Hole	No
	Terminal Angle	Straight
	Connection Capacity	Single

Body Features	Plating Material	Brass, Tin
	Fully Insulated	Yes

Contact Features	Terminal Style	Tab
	Terminal Orientation	Straight

Dimensions	Mating Tab Width	6.35 mm [.25 in]
	Mating Tab Thickness	.81 mm [.032 in]
	Material Thickness	.81 mm [.032 in]
	Overall Length	30.66 mm [1.207 in]













Industry Standards	UL Rating	Recognized
	CSA Certified	Yes

Packaging Features	Packaging Method	Package
	Packaging Quantity	10000

Other	Comment	.2 brass material.
-------	---------	---------------------------

Product Compliance [Statement of Compliance PDF](#)
[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

STANDARD POWER RELAYS	CRIMP QUICK DISCONNECTS	AUTOMOTIVE, TRUCK, BUS, & OFF-ROAD HOUSINGS	STANDARD POWER RELAYS
			
T77S1D3-24 T77S1D3-24	FASTON 250 TAB TPBR 63949-1	DT RECP ASM DT04-08PA-L012	T9AS5D22-110 T9AS5D22-110
 Save to List  Find Similar Products	 Save to List  Find Similar Products	 Save to List  Find Similar Products	 Save to List  Find Similar Products