



TE CONNECTIVITY (TE)

FASTON 187 PCB TAB TPBR LP

FASTON | 187

63982-1

TE Internal Number: 63982-1

Always EU RoHS/ELV Compliant

Terminal Style **Tab**

PCB Thickness (Recommended) **1.57 mm [.062 in]**

Mating Tab Width **4.75 mm [.187 in]**

Mating Tab Thickness **.51 mm [.02 in]**

PCB Hole Diameter **1.32 mm [.052 in]**

✓ Active

[↓ PRODUCT DRAWING](#)
English

[↓ 3D PDF](#)

Product Drawings

[TAB, FASTON, P.C.BOARD 4.75 \[.187\]](#)

PDF
English

CAD Files

[3D PDF](#)

PDF
3D

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS](#)

PDF
English

[FASTON PCB Tabs And Receptacles](#)

PDF
English

Product Specifications

Application Specification

[FASTON 110, 187, 205, 250, And 312 Series Tab Contacts For Printed Circuit \(PC\) Board Applications](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_63982-1_051220141138_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Applies To	Printed Circuit Board
	Insulated Wire Support	Yes

Configuration Features	Stud Hole	Yes
	Terminal Angle	Straight

Body Features	Plating Material	Tin
---------------	------------------	------------

Contact Features	Terminal Style	Tab
	Contact Plating Material	Tin





Dimensions	PCB Thickness (Recommended)	1.57 mm [.062 in]
	Mating Tab Width	4.75 mm [.187 in]
	Mating Tab Thickness	.51 mm [.02 in]
	PCB Hole Diameter	1.32 mm [.052 in]
	Material Thickness	.51 mm [.02 in]
	Stud Diameter	1.4 mm [.055 in]

Packaging Features	Packaging Method	Bag
	Packaging Quantity	2000

Other	Comment	Insertion equipment available.
-------	---------	---------------------------------------

Product Compliance [Statement of Compliance PDF](#)
[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

<p>CRIMP RINGS & SPADES</p>  <p>RING IS 20-18 8 .020TPBR 40698</p>	<p>CRIMP QUICK DISCONNECTS</p>  <p>187 FAST TAB IS 18-14 020BR 60850-1</p>	<p>RECTANGULAR POWER CONNECTORS</p>  <p>24P MINI UMNL HDR W/O DH SN LF 1-794079-0</p>	<p>FPC CONNECTORS</p>  <p>FPC CONN. 0.5MM PITCH B/C, 50P 5-1734592-0</p>
---	---	--	---

