



## CRIMP RINGS & SPADES



TE CONNECTIVITY (TE)

### RING TERM,22-18,025 TPST #10

[Open Barrel Rings & Spades](#) | [Open Barrel Rings & Spades](#)

640271-3

TE Internal Number: 640271-3

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter **5 mm [ .197 in ]**

Sealed **No**

Heavy Duty **No**

Wire Insulation Diameter **2.03 – 3.05 mm [ .08 – .12 in ]**

✓ Active

↓ **PRODUCT DRAWING**  
English

↓ **3D PDF**

#### Product Drawings

[RING](#)

PDF  
English

#### CAD Files

[Customer View Model](#)

2D\_DXF.ZIP  
English

[3D PDF](#)

PDF  
3D

[Customer View Model](#)

3D\_IGS.ZIP  
English

[Customer View Model](#)

3D\_STP.ZIP  
English

#### Product Specifications

Product Specification

[Crimping AMPLIVAR Ring Terminals](#)

PDF  
English

[Crimping Extruded Ring Terminals](#)

PDF  
English

Application Specification

[Ring And Spade Terminals](#)

PDF  
English

#### Product Environmental Compliance





TE Material Declaration

[MD\\_640271-3\\_10032012250](#)

PDF  
English

Product Type Features	Sealed	<b>No</b>
	Barrel Type	<b>Open Barrel</b>
	Wire/Cable Type	<b>Regular Wire</b>
	Insulated	<b>No</b>
	Insulated Wire Support	<b>Yes</b>
	Support Style	<b>Insulation Support</b>
	Stud Size	<b>10</b>
	Shape Code	<b>RING-005</b>
	Terminal Features	<b>Sheared</b>
Barrel Style	<b>Standard</b>	
Configuration Features	Terminal Angle	<b>Straight</b>
	Number of Holes	<b>1</b>
Body Features	Plating Material	<b>Tin</b>
	Inspection Slot	<b>No</b>
	Weight per Piece (g)	<b>.619</b>
Contact Features	Terminal Shape	<b>Ring Tongue</b>
	Terminal Orientation	<b>Straight</b>
Dimensions	Stud Diameter	<b>5 mm [ .197 in ]</b>
	Wire Insulation Diameter	<b>2.03 – 3.05 mm [ .08 – .12 in ]</b>
	Wire Size (AWG)	<b>22 – 18</b>
	Wire Size (mm <sup>2</sup> )	<b>.3 – .8</b>
	Material Thickness	<b>.64 mm [ .025 in ]</b>
	Overall Length (in)	<b>.772</b>
Operation/Application	Heavy Duty	<b>No</b>
Industry Standards	Government Qualified	<b>No</b>
Packaging Features	Packaging Method	<b>Strip</b>
	Packaging Quantity	<b>7500</b>

### CUSTOMERS ALSO BOUGHT

STANDARD POWER RELAYS	CIRCULAR POWER CONNECTORS	CRIMP RINGS & SPADES	RELAY ACCESSORIES, SOCKETS & CLIPS
			
R10-E1Y2-J5.0K=R10 R10-E1Y2-J5.0K	CPC RECPT ASSEMBLY SIZE 11-4 206430-3	RING IS 14-12 1/4 .040BR 41604	27E460=SOCKET, R10, , ASSY, 2 POLE 27E460
<a href="#">Save to List</a> <a href="#">Find Similar Products</a>	<a href="#">Save to List</a> <a href="#">Find Similar Products</a>	<a href="#">Save to List</a> <a href="#">Find Similar Products</a>	<a href="#">Save to List</a> <a href="#">Find Similar Products</a>

Products - 3 Results

[View All](#)

[Compare 0/10](#)

Relation Type

RELATIONSHIP

### Toolings

Tooling

[See All Toolings](#)

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators  
AMP  
**OC-AT-E-FA-100F180F-  
015-0589 - 2150257-2**  
TE INTERNAL NUMBER: 2150257-2

✓ Active

Not in Scope for EU RoHS/ELV Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN -  
Atlantic**

Applicator Feed Style **End Feed**



RELATIONSHIP

### Toolings

Tooling

[See All Toolings](#)

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators  
AMP  
**OC-100F180F-  
CRIMPTOOLINGKIT**  
7 0150257 2

Not in Scope for EU RoHS/ELV Compliance

Region **Worldwide**





- /-2150257-/  
TE INTERNAL NUMBER: 7-2150257-7

✓ Active

Tool Type **Applicator**

Spare Parts Tooling **Yes**

Spare Parts Tool Type **Spare  
Parts Kit**

RELATIONSHIP

**Toolings**

Tooling

[See All Toolings](#)

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators  
AMP

**OC-AT-E-FM-100F180F-  
015-0589 - 2150257-1**

TE INTERNAL NUMBER: 2150257-1

✓ Active

Not in Scope for EU RoHS/ELV  
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN -  
Atlantic**

Applicator Feed Style **End Feed**

