

RECTANGULAR POWER CONNECTORS











640389-2 TE Internal Number: 640389-2 Alias ID: 1060936

Always EU RoHS/ELV Compliant

✓ Active



PRODUCT DRAWING



3D PDF

Product Drawings

MTA-156 HEADER ASSEMBLY, FRICTION LOCK, RIGHT ANGLE, FRONT BEND .045 SQUARE POST, TIN PLATED

045 SQUARE POST,

PDF **English**

CAD Files

Customer View Model

3D_STP.ZIP English

Customer View Model

3D_IGS.ZIP **English**

Customer View Model

2D_DXF.ZIP **English**

3D PDF

3D

Catalog Pages/Data Sheets

MTA, CST-100 II, SL-156 And AMP Economy Power (EP) Connectors

PDF **English**

Product Environmental Compliance

TE Material Declaration

02P MTA156 HDR ASSY SQ R/A F/L

PDF **English**

MD_640389-2_04232011614

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.


Product Compliance


Statement of Compliance

PDF

VIEW ALL PRODUCT COMPLIANCE

CUSTOMERS ALSO BOUGHT





RELATIONSHIP

Mating Products
Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA156

Not EU RoHS or ELV Compliant



02P MTA156 CONN **ASSY 26AWG BLU** - 640430-2 TE INTERNAL NUMBER: 640430-2



Centerline 3.96 mm

Number of Positions 2

Number of Rows 1

Contact Mating Area Plating

Material **Tin-Lead**

Contact Mating Area Plating Thickness **2.03 – 5.08 μm**

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA156

02P MTA156 CONN ASSY 26AWG LF

- 3-640608-2

TE INTERNAL NUMBER: 3-640608-2



Always EU RoHS/ELV Compliant

Centerline 3.96 mm

Number of Positions 2

Number of Rows 1

Contact Mating Area Plating

Material **Tin**

Contact Mating Area Plating

Thickness **2.03 – 5.08 μm**

