

RECTANGULAR POWER CONNECTORS



TE CONNECTIVITY (TE) 06P MTA156 HDR ASSY SQ R/A F/L MTA | MTA156

640389-6 TE Internal Number: 640389-6

Always EU RoHS/ELV Compliant


✓ Active



MTA-156 HEADER ASSEMBLY, FRICTION LOCK, RIGHT ANGLE, FRONT BEND **Product Drawings** .045 SQUARE POST, TIN PLATED PDF English CAD Files **Customer View Model** 2D_DXF.ZIP English 3D PDF PDF 3D Customer View Model 3D_IGS.ZIP English **Customer View Model** 3D_STP.ZIP English MTA, CST-100 II, SL-156 And AMP Economy Power (EP) Connectors Catalog Pages/Data Sheets PDF **English** Product Environmental Compliance TE Material Declaration MD_640389-6_12122015139_dmtec PDF English 06P MTA156 HDR ASSY SQ R/A F/L PDF English

Please review product documents or **contact us** for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

У 🖬 f v





Connectors - Rectangular Power Connector MTAI MTA156 06P MTA156 CONN

ASSY 18AWG ORA - 3-643817-6 TE INTERNAL NUMBER: 3-643817-6

✓ Active

Product Type **Connector** Assembly Housing Type **Receptacle** Connector System **Wire-to-Post** Applies To **Wire/Cable** Contact Current Rating **7 A**

RELATIONSHIP

Mating Products Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA156 Always EU RoHS/ELV Compliant



06P MTA156 CONN ASSY 22AWG LF - 3-640606-6 TE INTERNAL NUMBER: 3-640606-6

✓ Active

Centerline 3.96 mm

Number of Positions **6**

Number of Rows **1**

Contact Mating Area Plating Material **Tin**

Contact Mating Area Plating Thickness **2.03 – 5.08 µm**