

RECTANGULAR POWER CONNECTORS











TE Internal Number: 640445-8 Alias ID: 2-42934-1425, CU3106-000, PER-640445-8

Always EU RoHS/ELV Compliant



PRODUCT DRAWING



3D PDF

Product Drawings

MTA-156 HEADER ASSEMBLY, FRICTION LOCK, STRAIGHT .045 SQUARE POST,

TIN PLATED

PDF **English**

CAD Files

Customer View Model

3D_IGS.ZIP **English**

Customer View Model

3D_STP.ZIP **English**

Customer View Model

2D_DXF.ZIP English

3D PDF

PDF 3D

Catalog Pages/Data Sheets

MTA, CST-100 II, SL-156 And AMP Economy Power (EP) Connectors

PDF **English**

Product Environmental Compliance

TE Material Declaration

08P MTA156 HDR ASSY FL/STR SN

PDF **English**

MD_640445-8_10092015334_dmtec

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.


Product Compliance


Statement of Compliance

PDF

VIEW ALL PRODUCT COMPLIANCE

CUSTOMERS ALSO BOUGHT





RELATIONSHIP

Mating Products
Used to identify Mating Parts

See All Mating Products

PRODUCT - MATING PRODUCTS



MTA | MTA 156

08P MTA156 CONN ASSY 22AWG RED

- 640601-8 TE INTERNAL NUMBER: 640601-8

✓ Active

Centerline 3.96 mm

Number of Positions 8

Number of Rows 1

Contact Mating Area Plating

Material **Tin-Lead**

Contact Mating Area Plating

Material Finish **Bright**

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA156

08P MTA156 CONN ASSY 20AWG YEL

- 3-640432-8

TE INTERNAL NUMBER: 3-640432-8

✓ Active

Always EU RoHS/ELV Compliant

Centerline 3.96 mm

Number of Positions 8

Number of Rows 1

Contact Mating Area Plating

Material **Tin**

Contact Mating Area Plating

Thickness **2.03 – 5.08 μm**

