


641763-1 Product Details

Share Print Email



641763-1

Soft Shell - Accessories

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Accessory Type = Strain Relief
- Universal MATE-N-LOK
- Nylon - GF Housing Material
- Color = Natural
- Number of Circuits = 3

[View all Features](#)

Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

TE Internal Number: 641763-1

Active

[View 3D PDF](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information	
<p>Product Drawings:</p> <ul style="list-style-type: none"> • STRAIN-RELIEF, UNIVERSAL MATE-N-LOK(TM) 3 CIRCUIT (PDF, English) <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> • SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY (PDF, English) <p>Product Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Application Specifications:</p> <ul style="list-style-type: none"> • None Available <p>Instruction Sheets:</p> <ul style="list-style-type: none"> • None Available <p>CAD Files: (CAD Format & Compression Information)</p> <ul style="list-style-type: none"> • 2D Drawing (DXF, Version D1) • 3D Model (IGES, Version D1) • 3D Model (STEP, Version D1) 	<p>Related Products:</p> <ul style="list-style-type: none"> • Tooling

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)	
<p>Product Type Features:</p> <ul style="list-style-type: none"> • Accessory Type = Strain Relief • Connector Line = Universal MATE-N-LOK • Color = Natural <p>Body Features:</p> <ul style="list-style-type: none"> • Insert Supplied = No • Wire Diameter Range (mm [in]) = 5.08 – 8.89 [0.200 – 0.350] <p>Contact Features:</p> <ul style="list-style-type: none"> • Contact Layout = In-Line <p>Housing Features:</p> <ul style="list-style-type: none"> • Housing Material = Nylon - GF 	<p>Configuration Features:</p> <ul style="list-style-type: none"> • Number of Circuits = 3 <p>Industry Standards:</p> <ul style="list-style-type: none"> • RoHS/ELV Compliance = RoHS compliant, ELV compliant • Lead Free Solder Processes = Not relevant for lead free process • RoHS/ELV Compliance History = Always was RoHS compliant • UL Flammability Rating = UL 94V-2 <p>Other:</p> <ul style="list-style-type: none"> • Brand = AMP • Comment = Must use cap housing adapters when attaching strain reliefs to a cap housing. Two adapters required per housing.; Strain relief part number represents one half of a strain relief. Two of a part number are required per connector.

Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)

Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

Keep Me Informed



Feedback

