

RECTANGULAR POWER CONNECTORS











TE CONNECTIVITY (TE) 03P MTA156 HDR ASSY SQ STR F/L MTA | MTA156

644752-3

TE Internal Number: 644752-3

Always EU RoHS/ELV Compliant



PRODUCT DRAWING



3D PDF

Product Drawings

MTA-.156 HEADER ASSEMBLY, FRICTION LOCK, STRAIGHT .045 SQUARE POST,

TIN PLATED, SPECIAL

PDF English

CAD Files

Customer View Model

3D_STP.ZIP English

Customer View Model

2D_DXF.ZIP English

3D PDF PDF **3D**

Customer View Model

3D_IGS.ZIP English

Catalog Pages/Data Sheets

MTA, CST-100 II, SL-156 And AMP Economy Power (EP) Connectors

PDF **English**

Product Environmental Compliance

TE Material Declaration

MD_644752-3_12122015142_dmtec

PDF **English**

03P MTA156 HDR ASSY SQ STR F/L

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.


Product Compliance


Statement of Compliance

PDF

VIEW ALL PRODUCT COMPLIANCE

CUSTOMERS ALSO BOUGHT





RELATIONSHIP

Mating Products
Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA156

Not EU RoHS or ELV Compliant



03P MTA156 CONN ASSY 20AWG YEL - 640432-3

TE INTERNAL NUMBER: 640432-3



Centerline 3.96 mm

Number of Positions 3

Number of Rows 1

Contact Mating Area Plating

Material **Tin-Lead**

Contact Mating Area Plating Thickness **2.03 – 5.08 µm**

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA156

03P MTA156 ASSY ON TAPE LF - 3-644783-3

TE INTERNAL NUMBER: 3-644783-3

✓ Active

Always EU RoHS/ELV Compliant

Centerline 3.96 mm

Number of Positions 3

Number of Rows 1

Contact Mating Area Plating

Material **Tin**

Contact Mating Area Plating

Material Finish **Matte**

