




POWER CONTACTS



TE CONNECTIVITY (TE) III+ PIN,24-20,TIN-LEAD,STRIP AMP | Type III+

66102-7
TE Internal Number: 66102-7

Not EU RoHS or ELV Compliant
[Find Compliant Alternatives](#)

Product Type **Contact**

Wire/Cable Size (AWG) **24 – 20**

Wire/Cable Size (mm²) **.2 – .6**

Circuit Application **Signal**

Contact Type **Pin**

✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

Product Drawings

[PIN ASSEMBLY, .062, TYPE III+](#)

PDF
English

CAD Files

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

Product Specifications

Application Specification

[Type III+ \(Size 16\) Contacts](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[Selection Of Multimate Pin And Socket Contacts](#)

PDF
English

[Selection Of Multimate Pin And Socket Contacts](#)

PDF
Japanese

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Product Type	Contact
Electrical Characteristics	Test Current (A)	13
Contact Features	Contact Type	Pin
	Contact Base Material	Brass
	Contact Mating Area Plating Material	Tin-Lead
	Contact Mating Area Plating Finish	Bright
	Contact Termination Area Plating Material	Tin-Lead
	Contact Termination Area Plating Finish	Bright
	Contact Size	16
Termination Features	Wire/Cable Size (AWG)	24 – 20
	Wire/Cable Size (mm ²)	.2 – .6
	Termination Type	Crimp
Dimensions	Accepts Wire Insulation Diameter Range	1.02 – 2.03 mm [.04 – .08 in]
Operation/Application	Circuit Application	Signal
Packaging Features	Packaging Method	Reel
	Packaging Quantity	4000
Other	Comment	Overall insulation crimp diameter, including crimp barrel, must not exceed 3.18 [.125], PRO-CRIMPER II
	For Use With	CPC Connectors, G Series Connectors, M Series Connectors
	Wire/Cable Type	Discrete Wire
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

	<p>D-SUB BACKSHELLS & CLAMPS</p> 	<p>RECTANGULAR CONNECTOR HOUSINGS</p> 	<p>CIRCULAR POWER CONNECTORS</p> 
---	---	--	---

<p>3/8 INCH FLEX CONDUIT 207370-1</p> <p>Save to List</p> <p>Find Similar Products</p>	<p>HDE CABLE CLAMP KIT 745553-1</p> <p>Save to List</p> <p>Find Similar Products</p>	<p>RECEPT HSG, 3 POSN, METRIC 207359-1</p> <p>Save to List</p> <p>Find Similar Products</p>	<p>CPC RECEPT ASSEMBLY SIZE 11-9 1-206852-1</p> <p>Save to List</p> <p>Find Similar Products</p>
--	--	---	--

Products - 7 Results

[View All](#)

[Compare 0/10](#)

Relation Type ▼

RELATIONSHIP

Toolings

Tooling

[See All Toolings](#)

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators
AMP

OC-AT-S-FM-062F0900-001-0021 - 2151016-1

TE INTERNAL NUMBER: 2151016-1

✓ Active

Not in Scope for EU RoHS/ELV Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN - Atlantic**

Applicator Feed Style **Side Feed**



RELATIONSHIP

Toolings

Tooling

[See All Toolings](#)

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators
AMP

OC-062F0900-CRIMPTOOLINGKIT - 7-2151016-7

TE INTERNAL NUMBER: 7-2151016-7

✓ Active

Not in Scope for EU RoHS/ELV Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **Yes**

Spare Parts Tool Type **Spare Parts Kit**



RELATIONSHIP

Toolings

Tooling

[See All Toolings](#)

PRODUCT - TOOLINGS



Application Tooling - OCEAN Applicators

Not in Scope for EU RoHS/ELV





AMP

OC-AT-S-FA-062F090O-
001-0021 - 2151016-2

TE INTERNAL NUMBER: 2151016-2

✓ Active

Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN -
Atlantic**

Applicator Feed Style **Side Feed**