



QUICK DISCONNECTS



TE CONNECTIVITY (TE)

FLACHST 2,8X0,8 GDS

FASTON | FASTON Terminals and Housings

725963-2

TE Internal Number: 725963-2

Always EU RoHS/ELV Compliant

Terminal Style **Tab**

Mating Tab Width **2.79 mm [.11 in]**

Mating Tab Thickness **.79 mm [.031 in]**

Plating Material **Tin**

Underplating Material **Copper**

✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

Product Drawings

[FASTON TAB 2.8 X 0.8](#)

PDF (TIFF AVAILABLE)
English

[FASTON TAB 2.8 X 0.8](#)

PDF (TIFF AVAILABLE)
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[3D PDF](#)

PDF
English

Catalog Pages/Data Sheets

[PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS](#)

PDF
English

[FASTON PCB Tabs And Receptacles](#)

PDF
English

Product Environmental Compliance





TE Material Declaration

[MD_725963-2_02092016330_dmtec](#)

PDF
English

Product Type Features	Disconnect Type	Quick Disconnect Pin
	FASTON	Yes
	Insulated Wire Support	No
	Applies To	Printed Circuit Board
Configuration Features	Paired	No
	Stud Hole	No
	Terminal Angle	90°
Body Features	Plating Material	Tin
	Plating Thickness	4.5 µm [177.165 µin]
Contact Features	Terminal Style	Tab
	Underplating Material	Copper
	Terminal Orientation	Flag
	Contact Plating Material	Tin
Dimensions	Mating Tab Width	2.79 mm [.11 in]
	Mating Tab Thickness	.79 mm [.031 in]
	Overall Length	13.4 mm [.528 in]
Packaging Features	Packaging Method	Box
	Packaging Quantity	10000
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

<p>RECTANGULAR POWER CONNECTORS</p>  <p>02P UMNL PIN HDR ASSY NATL AU 350428-4</p>	<p>POWER CONTACTS</p>  <p>RP 2A 0.25W 147K 0.1% 25PPM 1K RL 1-2176094-0</p>	<p>POWER CONTACTS</p>  <p>MINI UMNL PIN 26-22 AWG SN 770901-1</p>	<p>SURFACE MOUNT RESISTORS</p>  <p>CPF 0402 90K9 0.1% 25PPM 1K RL CPF0402B90K9E1</p>
---	--	--	---

