




# CIRCULAR POWER CONNECTORS



Active

PRODUCT DRAWING  
English

3D PDF

TE CONNECTIVITY (TE)

## SLD CPC RCPT ASSY, 13-9, STD SEX

AMP | CPC

788158-2

TE Internal Number: 788158-2

Always EU RoHS/ELV Compliant

Product Type **Housing**

Number of Positions **9**

Applies To **Panel**

Housing Type **Receptacle**

Reverse Gender **Standard**

### Product Drawings

[RECEPTACLE ASSEMBLY, 13-9, STANDARD SEX, SERIES I, SEALED, CIRCULAR PLASTIC CONNECTOR](#)

PDF  
English

### CAD Files

[Customer View Model](#)

2D\_DXF.ZIP  
English

[Customer View Model](#)

3D\_IGS.ZIP  
English

[Customer View Model](#)

3D\_STP.ZIP  
English

[3D PDF](#)

PDF  
English

### Catalog Pages/Data Sheets

[AMP Circular Connectors For Commercial Signal & Power Applications](#)

PDF  
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

### Product Type Features

Product Type

**Housing**

Housing Type

**Receptacle**

Contact Type

**Pin**





### Configuration Features

Number of Positions

**9**

	Reverse Gender	<b>Standard</b>
	Number of Power Positions	<b>0</b>
	Number of Signal Positions	<b>9</b>
	Seal Type	<b>Peripheral, Wire Entry Seal</b>
Body Features	Thread Size	<b>3/4 - 20 UNEF-2A</b>
Contact Features	Contact Protection	<b>With</b>
Mechanical Attachment	Mating Alignment	<b>With</b>
	Mating Retention	<b>With</b>
	Panel Mount Retention Type	<b>Flange with Mounting Holes</b>
	Mating Retention Type	<b>Threaded Coupling</b>
	Mating Alignment Type	<b>Keyed</b>
Housing Features	Housing Color	<b>Black</b>
	Shell Type	<b>All Plastic</b>
	Housing Material	<b>Nylon</b>
	Shell Size	<b>13</b>
	UL Flammability Rating	<b>UL 94V-0</b>
	Body Orientation	<b>Straight</b>
Dimensions	Accepts Wire Insulation Diameter Range	<b>1.65 – 3.05 mm [ .065 – .12 in ]</b>
Usage Conditions	Sealed Condition	<b>Sealed</b>
	Fluid Resistance	<b>Immersion</b>
Operation/Application	Applies To	<b>Panel</b>
Identification Marking	Reverse Numbering	<b>With</b>
Industry Standards	VDE Tested	<b>No</b>
Packaging Features	Packaging Method	<b>Package</b>
	Packaging Quantity	<b>1</b>

## CUSTOMERS ALSO BOUGHT

<p><b>CIRCULAR POWER CONNECTORS</b></p>  <p><b>SLD CPC PLUG ASSY, 13-9, STD SEX</b> 788157-2</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>	<p><b>MULTIPLE CONFIGURATION PCB HEADERS &amp; RECEPTACLES</b></p>  <p><b>10 MODII HDR DRST SFMNT B/A</b> 146134-4</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>	<p><b>CIRCULAR POWER CONNECTORS</b></p>  <p><b>SLD CPC RCPT ASSY, 17-16, STD SX</b> 796275-1</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>	<p><b>RIBBON CABLE CONNECTORS</b></p>  <p><b>A/L LOW PRO HDR 34P RA BLACK</b> 5103310-7</p> <p><a href="#">Save to List</a> <a href="#">Find Similar Products</a></p>
---	---	---	--

Products - 2 Results

[View All](#)

[Compare 0/10](#)


Relation Type ▼

### RELATIONSHIP

#### Mating Products

Used to identify Mating Parts

[See All Mating Products](#)


	<p>PRODUCT - MATING PRODUCTS</p>	<p>Connectors - Circular Power Connectors AMP   CPC</p>	<p>Always EU RoHS/ELV Compliant</p>	<input checked="" type="checkbox"/>
		<p><b>SLD CPC PLUG ASSY, 13-9, STD SEX - 788157-2</b> TE INTERNAL NUMBER: 788157-2</p> <p>✓ Active</p>	<p>Product Type <b>Housing</b> Number of Positions <b>9</b> Connector System <b>Wire-to-Wire</b> Housing Type <b>Plug</b> Reverse Gender <b>Standard</b></p>	

### RELATIONSHIP

#### Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

	<p>PRODUCT - MATING PRODUCTS</p>	<p>Connectors - Circular Power Connectors AMP   CPC</p>	<p>Always EU RoHS/ELV Compliant</p>	<input checked="" type="checkbox"/>
		<p><b>SLD CPC 13-9 PLUG, STD, SM INS - 788157-1</b> TE INTERNAL NUMBER: 788157-1</p> <p>✓ Active</p>	<p>Product Type <b>Housing</b> Number of Positions <b>9</b> Connector System <b>Wire-to-Wire</b> Housing Type <b>Plug</b></p>	

