

RECTANGULAR CONNECTOR SEALS











TE CONNECTIVITY (TE) 02P UMNL WIRE SEAL

MATE-N-LOK | Universal MATE-N-LOK

794270-1

TE Internal Number: 794270-1 Alias ID: 0-0794270-1

Always EU RoHS/ELV Compliant

Accessory Type Wire Seal

Accepts Wire Insulation Diameter Range 1.52 – 3.3 mm [.06 – .13 in]

✓ Active



PRODUCT DRAWING



3D PDF

Product Drawings

WIRE SEAL,2 CIRCUIT, UNIVERSAL MATE-N-LOK

PDF **English**

CAD Files

Customer View Model

2D_DXF.ZIP

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP English

3D PDF PDF English

Catalog Pages/Data Sheets

SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY

PDF **English**

Product Specifications

Application Specification MATE-N-LOK Sealed Universal Connectors

PDF **English**

MATE-N-LOK Sealed Universal Connectors

TIF **English**

Product Environmental Compliance

Safety Data Sheet Silicon Rubber - Self Lubricating

English

Eng

TE Material Declaration MD_794270-1_022920161214_dmtec

PDF **English**

Instruction Sheets

Instruction Sheet (U.S.)


Universal MATE-N-LOK Splash Proof Seals

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Accessory Type	Wire Seal
	Accessory Color	Blue
	Wire/Cable Type	Discrete Wire
	Product Type	Accessory
	Connector System	Wire-to-Wire
Body Features	Color	Blue
	Material	Silicone Rubber
Dimensions	Accepts Wire Insulation Diameter Range	1.52 – 3.3 mm [.06 – .13 in]
	Wire/Cable Size	.5 – 2 mm² [14 – 20 AWG]
Operation/Application	For Use With	Universal MATE-N-LOK Sealed Connectors
Packaging Features	Packaging Quantity	500
	Packaging Method	Bag/Box
Product Compliance	Statement of Compliance	

CUSTOMERS ALSO BOUGHT



VIEW ALL PRODUCT COMPLIANCE



Find Similar Products

•