

BOARD-TO-BOARD JUMPERS & SHUNTS





✓ Active

<u>+</u>

PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE)
SHUNT LP W/HANDLE 2POS 15AU

AMP

881545-1

TE Internal Number: 881545-1

Always EU RoHS/ELV Compliant

Shunt Type Novo

Shunt Style Open Top

Centerline 2.54 mm [.1 in]

Number of Positions 2

Product Drawings

Shunt Low Profile Connector Assy

PDF **English**

CAD Files

3D PDF

PDF **English**

Customer View Model

2D_DXF.ZIP English

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP **English**

Catalog Pages/Data Sheets

AMPMODU_INTERCONNECTION_SYSTEM_SECTION_6_7AND8

PDF **English**

Product Environmental Compliance

TE Material Declaration

MD_881545-1_02152016643_dmtec

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Profile

Low

Product Type

Shunt

Configuration Features	Number of Positions	2
Electrical Characteristics	Termination Resistance (m Ω)	15
Body Features	Handle	With
Contact Features	Shunt Type	Novo
	Shunt Style	Open Top
	Contact Current Rating (A)	3
	Contact Base Material	Phosphor Bronze
	Contact Mating Area Plating Thickness	.381 μm [15 μin]
	Contact Mating Area Plating Material	Gold
Housing Features	Centerline	2.54 mm [.1 in]
	Housing Material	Thermoplastic
	Housing Color	Black
Dimensions	Height	10.9 mm [.429 in]
Usage Conditions	Operating Temperature Range (°C)	-65 – 105
Industry Standards	UL Flammability Rating	UL 94V-0
Packaging Features	Packaging Method	Bag
	Packaging Quantity	14000
Product Compliance	Statement of Compliance	

CUSTOMERS ALSO BOUGHT



VIEW ALL PRODUCT COMPLIANCE

