


[CONNECTORS](#)

# RIBBON CABLE CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**  
English

↓ **3D PDF**

> [See All Documentation](#)

TE CONNECTIVITY (TE)

## MICRO-MATCH FOB.20P

Micro-MaTch | Micro-MaTch Industrial

9-215079-0

TE Internal Number: 9-215079-0

Always EU RoHS/ELV Compliant

Centerline **1.27 mm [ .05 in ]**

PCB Mount Retention **With**

PCB Mount Retention Type **Kink**

PCB Mounting Orientation **Vertical**

Termination Method to PC Board **Through Hole**

> [See All Features](#)

North America ▾

DISTRIBUTOR	QUANTITY	DATE AS OF	
<b>NEWARK ELEMENT14</b> 800-463-9275	634	2016/02/25	>
<b>DIGIKEY ELECTRONICS</b> 800-344-4539 or 218-681-6674	385	2016/02/26	>
<b>ONLINE COMPONENTS</b> 1-888-906-8217	22	2016/02/26	>
<a href="#">View More (1)</a>			

<a href="#">GET SAMPLE</a>	
<a href="#">SAVE TO LIST</a>	
<a href="#">CHECK FOR TOOLING</a>	
<a href="#">FIND SIMILAR PRODUCTS</a>	

## DOCUMENTATION

## FEATURES

### Product Drawings

[CONNECTOR, FEMALE-ON-BOARD TOP-ENTRY, THRU-HOLE, Micro-MaTch](#)  
PDF  
English

### CAD Files

[3D PDF](#)  
PDF  
English

[Customer View Model](#)  
2D\_DXF.ZIP  
English

[Customer View Model](#)  
3D\_IGS.ZIP  
English

[Customer View Model](#)  
3D\_STP.ZIP  
English

## Catalog Pages/Data Sheets

### Micro-MaTch Catalog

PDF  
English

### Ribbon Cable Interconnect Solutions

PDF  
English

### Centerline Micro-Match Connector Series

PDF  
English

## Product Specifications

Product Specification

### Amp Micro-Match Miniature Connector Assembly

PDF  
English

Qualification Test Report

### Test Report Lead-Free Wave Soldering-Heat (Wave-Solder Connectors)

PDF  
English













## Product Environmental Compliance

TE Material Declaration

### MD\_9-215079-0\_041720151526\_dmtec

PDF  
English

## CUSTOMERS ALSO BOUGHT

MULTIPLE CONFIGURATION PCB HEADERS & RECEPTACLES	THROUGH-HOLE RESISTORS	FPC CONNECTORS	THROUGH-HOLE RESISTORS
			
<b>14 MODII HDR DRST SFMNT B/A</b> 146134-6	<b>LR0204 1% 7K5</b> LR0204F7K5	<b>FPC CONN. 0.5MM PITCH B/C, 36P</b> 3-1734592-6	<b>H8 1K54 0.1% 15PPM</b> H81K54BYA
 Save to List  Find Similar Products	 Save to List  Find Similar Products	 Save to List  Find Similar Products	 Save to List  Find Similar Products

## COMPATIBLE

Products - 13 Results

[View All](#)

Compare 0/10 

Relation Type 

### RELATIONSHIP

## Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

### PRODUCT - MATING PRODUCTS



Connectors - Ribbon Cable Connectors  
Micro-MaTch | Micro-MaTch Industrial

**MICRO-MATCH**  
**COSIHSG - 2-338095-0**  
TE INTERNAL NUMBER: 2-338095-0

Always EU RoHS/ELV Compliant

Centerline **1.27 mm**

PCB Mount Retention **Without**





✓ Active

PCB Mounting Orientation

**Vertical**

Termination Method to PC Board

**Through Hole - Solder**

Shrouded **Yes**

Quick View


RELATIONSHIP

### Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Ribbon Cable Connectors  
Micro-MaTch | Micro-MaTch Industrial

**MICRO-MATCH**  
**MOW.20P - 2-215083-0**

TE INTERNAL NUMBER: 2-215083-0

✓ Active

Always EU RoHS/ELV Compliant

Centerline **1.27 mm**

PCB Mount Retention **Without**

PCB Mounting Orientation

**Vertical**

Termination Method to

Wire/Cable **Insulation**

**Displacement Crimp (IDC)**

Shrouded **Yes**



Quick View


RELATIONSHIP

### Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Ribbon Cable Connectors  
Micro-MaTch | Micro-MaTch Industrial

**MICRO-MATCH**  
**MOW.20P - 2-215083-0**

TE INTERNAL NUMBER: 2-215083-0

✓ Active

Always EU RoHS/ELV Compliant

Centerline **1.27 mm**

PCB Mount Retention **Without**

PCB Mounting Orientation

**Vertical**

Termination Method to

Wire/Cable **Insulation**

**Displacement Crimp (IDC)**

Shrouded **Yes**



Quick View

