




Have a Question?
 Chat with a Product Information Specialist

What can we help you find?

- [Products](#)
- [Industries](#)
- [Resources](#)
- [About TE](#)
- [My Account](#)
- [Innovation](#)
- [Support Center](#)

917803-2 Product Details

- [Share](#) [Print](#) [Email](#)



917803-2

TE Internal Number: 917803-2
✔ Active

[View 3D PDF](#)

Dynamic Series Connectors

✔ Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Applies To Wire/Cable
- Contact
- Contact Type = Pin
- Product Series = D-5
- Wire Range = 3.00-6.00² [12-10] mm [AWG]

[View all Features](#)

Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [View Housings \(20\)](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

- [Add to My Part List](#) [Request Sample](#) [Find Similar Products](#)
[Buy Product](#)

Documentation & Additional Information	
<p>Product Drawings:</p> <ul style="list-style-type: none"> TAB CONTACT "M" SIZE (PDF, English) <p>Catalog Pages/Data Sheets:</p> <ul style="list-style-type: none"> None Available <p>Product Specifications:</p> <ul style="list-style-type: none"> Dynamic Connector D-5000 Series (PDF, Japanese) <p>Application Specifications:</p> <ul style="list-style-type: none"> Dynamic Connector D-5000 Series (PDF, Japanese) <p>Instruction Sheets:</p> <ul style="list-style-type: none"> Extraction Tool for AMP Dynamic D-5000 Series (PDF, English) <p>CAD Files: (CAD Format & Compression Information)</p> <ul style="list-style-type: none"> 2D Drawing (DXF, Version 0) 3D Model (IGES, Version 0) 3D Model (STEP, Version 0) 	<p>Additional Information:</p> <ul style="list-style-type: none"> Product Line Information <p>Related Products:</p> <ul style="list-style-type: none"> Tooling Housings (20)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)	
<p>Product Type Features:</p> <ul style="list-style-type: none"> Product Type = Contact Product Series = D-5 <p>Termination Features:</p> <ul style="list-style-type: none"> Termination End Plating = Gold over Nickel <p>Dimensions:</p> <ul style="list-style-type: none"> Insulation Diameter (mm [in]) = 4.00-5.20 [.157-.205] <p>Body Features:</p> <ul style="list-style-type: none"> Wire Range (mm [AWG]) = 3.00-6.00² [12-10] <p>Contact Features:</p> <ul style="list-style-type: none"> Contact Type = Pin Contact Plating, Mating Area, Material = Gold (15) Contact Base Material = Copper Alloy 	<p>Industry Standards:</p> <ul style="list-style-type: none"> RoHS/ELV Compliance = RoHS compliant, ELV compliant Lead Free Solder Processes = Not relevant for lead free process RoHS/ELV Compliance History = Always was RoHS compliant <p>Identification Marking:</p> <ul style="list-style-type: none"> Wire Range Mark = M <p>Conditions for Usage:</p> <ul style="list-style-type: none"> Applies To = Wire/Cable <p>Packaging Features:</p> <ul style="list-style-type: none"> Packaging Quantity = 1,200 Packaging Method = Reel <p>Other:</p> <ul style="list-style-type: none"> Brand = AMP

Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)

Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)

Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)

[Supplier Portal](#)

[Product Compliance Support Center](#)

[Manage Your Account](#)

[Careers](#)

[Site Map](#)

[Terms & Conditions](#)

[Privacy Policy](#)

Keep Me Informed

Receive TE News, Events & Technology Updates

Enter your email address

