

✓ Active

English

Ŧ

PRODUCT DRAWING

HEADERS & RECEPTACLES

TE CC 250 Positi 9262 TE Inte Alway

te connectivity (te) 250 POS.LOK FL.HSG

Positive Lock | Positive Lock Connection System

926291-1 TE Internal Number: 926291-1

Always EU RoHS/ELV Compliant

Number of Positions **1**

Color Black

Product Drawings	Positive Lock Gehaeuse Der Serie 6,3 90 Grad Abgewinkelt POSITIVE LOCK FLAG HOUS PDF (TIFF AVAILABLE) English
	Positive Lock Gehaeuse Der Serie 6,3 90 Grad Abgewinkelt POSITIVE LOCK FLAG HOUS PDF (TIFF AVAILABLE) English
CAD Files	Customer View Model 3D_IGS.ZIP English
	Customer View Model 3D_STP.ZIP English
	Customer View Model 2D_DXF.ZIP English
	3D PDF PDF English
Catalog Pages/Data Sheets	Positive Lock Receptacles PDF English

Please review product documents or **contact us** for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

 Product Type Features
 Receptacle Style
 Flag


 Product Type
 Connector Style
 Connector

 Plug
 Plug

9 6 f v

Configuration Features	Number of Positions Position Keyed Preloaded	1 None No
Body Features	Color Material	Black Nylon
Contact Features	Accepts Contact Type	Receptacle
Mechanical Attachment	Mating Area Interface Dimensions	.25 in, 6.35 mm
Housing Features	Housing Style Housing Material Housing Color	Positive Lock PA 66 Black
Industry Standards	UL Flammability Rating	UL 94V-2
Packaging Features	Packaging Quantity	11000
Other	Comment	Fits in 1 Position FASTIN FASTON Tab Housing (P/N 180916-1)
Product Compliance	Statement of Compliance PDF	

CUSTOMERS ALSO BOUGHT



VIEW ALL PRODUCT COMPLIANCE