

RECTANGULAR POWER CONNECTORS



PRODUCT DRAWING

TE CONNECTIVITY (TE) 5P UN-MNL STECKGEH

MATE-N-LOK | Universal MATE-N-LOK

У 🖬 f v

926299-3 TE Internal Number: 926299-3

Always EU RoHS/ELV Compliant

Product Type Housing Housing Type Plug Connector System Wire-to-Wire Applies To Wire/Cable Number of Positions 5

Product	Drawings

CAD Files

Ŧ

.

English

3D PDF

Customer View Model 2D_DXF.ZIP English

UNML PLUG 5WAY

Customer View Model 3D_IGS.ZIP English

3D PDF PDF 3D

PDF **English**

Customer View Model 3D_STP.ZIP English

Product Specifications

Product Specification

Universal MATE-N-LOK Connector PDF English

Please review product documents or **contact us** for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Product Type	Housing
	Housing Type	Plug
	Contact Type	Pin or Socket

	Centerline	6.35 mm [.25 in]
	Number of Rows	1
	Contact Layout	Inline
	Multiple Contact Types	Without
Electrical Characteristics	Operating Voltage (VAC)	600
	Operating Voltage (VDC)	600
Contact Features	Contact Retention	Without
Mechanical Attachment	Panel Mount Retention	Without
	Assembly Integration Feature	Without
Housing Features	UL Flammability Rating	UL 94V-0
	Housing Color	Natural
	Housing Material	Nylon
Usage Conditions	Sealed Condition	Not Sealed
Operation/Application	Connector System	Wire-to-Wire
	Applies To	Wire/Cable
	Operating Temperature	-55 – 125 °C [-67 – 257 °F]
Industry Standards	Glow Wire Rating	Standard Part - Not Glow Wire
	UL Rating	Recognized
	VDE Tested	Yes
	CSA Rating	Certified
	CSA File Number	LR7189
	Agency/Standard Number	E28476
	Agency/Standard	CSA, UL
Packaging Features	Packaging Method	Bag
	Packaging Quantity	1000
Product Compliance	Statement of Compliance PDF	

VIEW ALL PRODUCT COMPLIANCE

CUSTOMERS ALSO BOUGHT

