

RECTANGULAR POWER CONNECTORS





















PRODUCT DRAWING



3D PDF



MATE-N-LOK | Universal MATE-N-LOK

926300-3

TE Internal Number: 926300-3

Always EU RoHS/ELV Compliant

Product Type Housing

Housing Type Plug

Connector System Wire-to-Wire

Applies To Wire/Cable

Number of Positions 6

6 Pos. Universal MNL Socket Housing **Product Drawings**

PDF **English**

3D PDF **CAD Files**

PDF English

Customer View Model

2D_DXF.ZIP English

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D STP.ZIP English

Product Specifications

Product Specification Universal MATE-N-LOK Connector

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features Product Type Housing

> Housing Type Plug

Contact Type Pin or Socket

Number of Positions Configuration Features 6

	Centerline	6.35 mm [.25 in]
	Number of Rows	1
	Contact Layout	Inline
	Multiple Contact Types	Without
Electrical Characteristics	Operating Voltage (VAC)	600
	Operating Voltage (VDC)	600
Contact Features	Contact Retention	Without
Mechanical Attachment	Panel Mount Retention	Without
	Assembly Integration Feature	Without
Housing Features	UL Flammability Rating	UL 94V-0
	Housing Color	Natural
	Housing Material	Nylon
Usage Conditions	Sealed Condition	Not Sealed
Operation/Application	Connector System	Wire-to-Wire
	Applies To	Wire/Cable
	Operating Temperature	-55 – 125 °C [-67 – 257 °F]
Industry Standards	Glow Wire Rating	Standard Part - Not Glow Wire
	UL Rating	Recognized
	VDE Tested	Yes
	CSA Rating	Certified
	CSA File Number	LR7189
	Agency/Standard Number	E28476
	Agency/Standard	CSA, UL
Packaging Features	Packaging Method	Bag
	Packaging Quantity	800

CUSTOMERS ALSO BOUGHT

