

## **HOUSINGS**





✓ Active



PRODUCT DRAWING



3D PDF

## TE CONNECTIVITY (TE) MOD IV HSG SR 6 POS

AMPMODU | AMPMODU IV/V

926475-6

TE Internal Number: 926475-6

Always EU RoHS/ELV Compliant

Centerline 2.54 mm [.1 in]

Number of Positions 6

Number of Rows 1

Row-to-Row Spacing 2.54 mm [.1 in]

**Product Drawings** 

MODU IV

PDF **English** 

**CAD Files** 

Customer View Model

2D\_DXF.ZIP

Customer View Model

3D\_IGS.ZIP English

Customer View Model

3D\_STP.ZIP **English** 

3D PDF PDF English

**Product Specifications** 

Product Specification AMPMODU Mod 1/2 Wire To Board Standard Pressure Contact Interconnection

System PDF English

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

**Product Type Features** 

Row-to-Row Spacing

2.54 mm [ .1 in ]

Connector Style

Receptacle

Strain Relief

With

Connector Type

Housing

	Product Type	Connector
Configuration Features	Number of Positions  Number of Rows	6
Electrical Characteristics	Operating Voltage	250 VAC
Contact Features	Contact Type	Socket
Termination Features	Termination Method to Wire/Cable	Crimp
Mechanical Attachment	Mating Connector Lock  Mating Alignment	Without
Housing Features	Centerline  Housing Material  Housing Configuration  Housing Color	2.54 mm [.1 in]  PBT GF  Both Ends Closed  Black
Dimensions	Length (mm) Height (mm)	15.24 14.2
Packaging Features	Packaging Quantity Packaging Method	1000 Bag
Product Compliance	Statement of Compliance	

Product Compliance Statement of Compliance

PDF

VIEW ALL PRODUCT COMPLIANCE

## **CUSTOMERS ALSO BOUGHT**



