

HEADERS & RECEPTACLES











TE Internal Number: 926522-1

Always EU RoHS/ELV Compliant

Number of Positions 2

Color Black



PRODUCT DRAWING



3D PDF

Product Drawings

2 POS.POSITIVE LOCK GEHAEUSE

PDF **English**

CAD Files

Customer View Model

2D_DXF.ZIP

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP English

3D PDF PDF English

Catalog Pages/Data Sheets

Positive Lock Receptacles

PDF English

Product Environmental Compliance

TE Material Declaration

MD_926522-1_0505201551_dmtec

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Receptacle Style

Straight

Product Type

Connector

Connector Stulo

Dl...

Connector style Flug

| Configuration Features | Number of Positions | 2 | |
|------------------------|----------------------------------|-----------------|--|
| | Position Keyed | None | |
| | Preloaded | No | |
| Body Features | Color | Black | |
| , | Material | Nylon | |
| Contact Features | Accepts Contact Type | Receptacle | |
| Mechanical Attachment | Mating Area Interface Dimensions | .25 in, 6.35 mm | |
| Housing Features | Housing Style | Positive Lock | |
| | Housing Material | PA 66 | |
| | Housing Color | Black | |
| Industry Standards | UL Flammability Rating | UL 94V-2 | |
| Packaging Features | Packaging Method | Carton | |
| | Packaging Quantity | 3000 | |
| Product Compliance | Statement of Compliance | | |

Statement of Compliant

PDF

VIEW ALL PRODUCT COMPLIANCE

CUSTOMERS ALSO BOUGHT

